

## Schedule of Accommodation

Project No. / Description :  
Department :200-place Residential Care Home for the Elderly (RCHE)  
Social Welfare Department

Item No.	Description	No. of Occupants	Air-conditioning	Area (m <sup>2</sup> in NOFA)		Remarks/ Special Requirements
				Cellular Room	Open Plan	
	<u>Residential Section</u>					
1	Dormitory	200	Yes	1,432.0		7.16 m <sup>2</sup> per capita
2	Attached Bathroom/Shower Room to Dormitory Room	-	No	As appro		
3	Dining/Multi-purpose Room	200	Yes	440.0		2.2 m <sup>2</sup> per capita
4	Pantry for residents	-	No	As appro		It provides a space to be used by staff/family members to prepare or arrange food/milk for the service users, and for distribution of meals.
5	Small Group Activity Room	12	Yes	25.0		
6	Nursing Station cum Medical Consultation Room	8	Yes	48.0		- One nursing station at 10 m <sup>2</sup> shall be provided on each floor having dormitory rooms or multi-purpose room provision, and for every 50 residents. - If there are more than one nursing station, one of them should be attached with a medical consultation corner at 8m <sup>2</sup> .
7	Sick/Isolation/Quiet Room	4	Yes	32.0		- For infection control purpose - One room at 8 m <sup>2</sup> should be provided for every 50 residents on each floor with provision of dormitory rooms
8	Accessible Toilet cum Shower Room attached to each Sick/Isolation/Quiet Room	-	No	As appro		
9	Rehabilitation Area	16-22	Yes	100.0		To provide PT, OT and multi-sensory treatments
10	Store for Rehabilitation Area	-	No	10.0		To store PT/OT and multi-sensory equipment.
11	End-of-life Care Room	1	Yes	8.0		To render holistic end-of-life care to the severely sick or terminally ill service users
12	Soiled Utility Room	-	No	16.0		- For infection control purpose - One room at 4 m <sup>2</sup> on each floor having dormitory rooms, and for every 50 residents
13	Cleaner's Room	-	No	As appro		
14	Laundry	-	No	50.5		To accommodate appropriate no. of washer-extractor, tumble-dryer, hydro-extractor, open shelves, work tables and for clear delineation of clean and dirty zone.
15	Kitchen cum store	-	No	60.0		Kitchen store (5 m <sup>2</sup> ) is included in the provision.
16	Dumb Waiter	-	No	As appro		Dumb waiter space of 2.9 m <sup>2</sup> on each floor is required if dining area and kitchen are located on different floors.
17	General Store	-	No	70.0		For storage purpose and setting up drug storage area to facilitate drug dispensing work
18	Clean Utility Room	-	No	20.0		- For better infection control - For storing clean linen and incontinent supplies
19	Interview/Meeting/Family Room	8	Yes	14.0		- For interviews and residents' meeting with visitors - One Room at 8 m <sup>2</sup> and one room at 6 m <sup>2</sup>
20	Refuse Room	-	No	As appro		

Item No.	Description	No. of Occupants	Air-conditioning	Area (m <sup>2</sup> in NOFA)		Remarks/ Special Requirements
				Cellular Office	Open Plan	
	<u>Administration Section</u>					
21	Superintendent's Office	1	Yes		7.9	To accommodate 1 superintendent, 1 safe, 1 cabinet and 1 visitor chair
22	Assistant Superintendent's Office	1	Yes		6.9	To accommodate 1 assistant superintendent, 1 cabinet and 1 visitor chair
23	General Office	6	Yes		39.0	One shared office for 3 WW, 1 ACO, 1 CA, 1 ASWO, filing cabinets, photocopier, fax machine, computer/printer, typing trolley and bookcase/cupboard/office rack.
24	Reception Area	-	No		8.0	
25	Conference Room	16	Yes	27.0		
	<u>Staff Dormitory</u>					
26	Female/Male Staff Changing Room and Rest Room cum Pantry	-	Yes	60.5		(a) Staff changing room (42.0 m <sup>2</sup> ) (b) Sleep-in room (12.6 m <sup>2</sup> ) (c) Restroom & Pantry (5.9 m <sup>2</sup> )
27	Staff Toilet/Bath Room	-	No	As appro		
	<u>Communal Toilet</u>					
28	Toilet for Communal Use (a) Female Toilet (b) Male Toilet (c) Accessible Toilet	-	No	As appro		
<b>Total Area (in NOFA)</b>				<b>2,474.8 (say 2,475)</b>		

NOFA : Net Operational Floor Area