## Schedule of Accommodation

## Project No. / Description : Department :

## 150-place Residential Care Home for the Elderly (RCHE) Social Welfare Department

				Area (m <sup>2</sup> in NOFA)		
ltem No.	. Description	No. of Occupants	Air- conditioning	Cellular Room	Open Plan	Remarks/ Special Requirements
	Residential Section					
1	Dormitory	150	Yes	1,074.0		7.16 m <sup>2</sup> per capita
2	Attached Bathroom/Shower Room to Dormitory Room	-	No	As appro		
3	Dining/Multi-purpose Room	150	Yes	330.0		2.2 m <sup>2</sup> per capita
4	Pantry for residents	-	No	As appro		It provides a space to be used by staff/family members to prepare or arrange food/milk for the service users, and for distribution of meals.
5	Small Group Activity Room	10	Yes	20.0		
6	Nursing Station cum Medical Consultation Room	6	Yes	38.0		<ul> <li>One nursing station at 10 m<sup>2</sup> shall be provided on each floor having dormitory rooms or multi- purpose room provision, and for every 50 residents.</li> <li>If there are more than one nursing station, one of them should be attached with a medical consultation corner at 8m<sup>2</sup>.</li> </ul>
7	Sick/Isolation/Quiet Room	3	Yes	24.0		<ul> <li>For infection control purpose</li> <li>One room at 8 m<sup>2</sup> should be provided for every 50 residents on each floor with provision of dormitory rooms</li> </ul>
8	Accessible Toilet cum Shower Room attached to each Sick/Isolation/Quiet Room	-	No	As appro		
9	Rehabilitation Area	14-20	Yes	90.0		To provide PT, OT and multi-sensory treatments
10	Store for Rehabilitation Area	-	No	10.0		To store PT/OT and multi-sensory equipment.
11	End-of-life Care Room	1	Yes	8.0		To render holistic end-of-life care to the severely sick or terminally ill service users
12	Soiled Utility Room	-	No	12.0		- For infection control purpose - One room at 4 $\rm m^2$ on each floor having dormitory rooms, and for every 50 residents
13	Cleaner's Room	-	No	As appro		
14	Laundry	-	No	45.5		To accommodate appropriate no. of washer- extractor, trumble-dryer, hydro-extractor, open shelves, work tables and for clear delineation of clean and dirty zone.
15	Kitchen cum store	-	No	50.0		Kitchen store (5 $m^2$ ) is included in the provision.
16	Dumb Waiter	-	No	As appro		Dumb waiter space of 2.9 m <sup>2</sup> on each floor is required if dinning area and kitchen are located on different floors.
17	General Store	-	No	60.0		For storage purpose and setting up drug storage area to facilitate drug dispensing work
18	Clean Utility Room	-	No	15.0		<ul> <li>For better infection control</li> <li>For storing clean linen and incontinent supplies</li> </ul>
19	Interview/Meeting/Family Room	8	Yes	14.0		<ul> <li>For interviews and residents' meeting with visitors</li> <li>One Room at 8 m<sup>2</sup> and one room at 6 m<sup>2</sup></li> </ul>
20	Refuse Room	-	No	As appro		

ltem No.	. Description	No. of Occupants	Air- conditioning	Area (m <sup>2</sup> in NOFA)		
				Cellular Office	Open Plan	Remarks/ Special Requirements
21	Administration Section Superintendent's Office	1	Yes		7.9	To accommodate 1 superintendent, 1 safe (1 m²), 1 cabinet and 1 visitor chair
22	Assistant Superintendent's Office	1	Yes		6.9	To accommodate 1 assistant superintendent, 1 cabinet and 1 visitor chair
23	General Office	4	Yes		29.8	One shared office for 2 WW, 1 ACO, 1 ASWO, filing cabinets, photocopier, fax machine, computer/printer, typing trolley and bookcase/cupboard/office rack.
24	Reception Area	-	No		6.0	
25	Conference Room	12	Yes	22.0		
26	Staff Dormitory Female/Male Staff Changing Room and Rest Room cum Pantry	-	Yes	50.3		(a) Staff changing room (34.7 m²) (b) Sleep-in room (10.4 m²) (c) Restroom & Pantry (5.2 m²)
27	Staff Toilet/Bath Room	-	No	As appro		
	Communal Toilet Toilet for Communal Use (a) Female Toilet (b) Male Toilet (c) Accessible Toilet	-	No	As appro		
Total Area (in NOFA)				1,913.4 (say 1,913)		

NOFA : Net Operational Floor Area